

ILOMA HANDY-LIFT UMBRELLA



**It can't get any easier!
The upwards folding umbrella.**



The Balance Acrobat

The Handy-Lift is balanced in any position. Its own gravity permits to open the umbrella by gently pulling one or two ribs outwards. The handle bar is then easily accessible. A pull downwards opens the umbrella into its final open mode and locks automatically.


The ILOMA Opening/Closing Aid, on a built-in aluminum guide rail, with a slide handle, provides the easiest opening/closing device of any umbrella on the market today.

See this! The umbrella closes and folds itself upwards. That leaves a clearance of about 1m (3'feet) above the tabletop, and eliminates removal of glassware, bottles, tabletop arrangements, or furniture, if the umbrella is used in a freestanding application.

The canopy fabric is made of coated polyester (environment friendly, without PVC), is waterproof and weather resistant.

Additional features are a wind vent, and yes, it's even lockable!

Umbrella pole and ribs are made from aluminum.



Measurements:

Closed mode:	pole length approx. 320 cm (10'feet, 6" inches)
Opened mode:	pole length approx. 260 cm (8'feet, 6" inches)
Walk-through clearance:	canopy with valances: approx. 185 cm (6'feet)
Table top clearance:	approx. 100 cm (40" inches)
Canopy diameter:	approx. 350 cm (11'feet, 6" inches)
Carton size:	210 x 25 x 25 cm (83" x 10" x 10" inches)
Pole:	2 piece pole
Shipping weight:	13.5 kg (29.7 lbs.)

The perfect umbrella for advertising purposes!

The Iloma handy-lift umbrella was redesigned for the 2005 season! It now comes with stronger bars due to a new profile (20 x 40 mm / 0,08"inch x 0,16"inch). Additional new features are a stronger pole in silver and an Airtex-canopie in quadratic shape (350 cm x 350 cm / 11'feet, 6"inch square).



The canopies can be removed easily: at the end of the bars are spring-elements attached which always keep the canopie stretched



Bars and joints of the handy-lift umbrellas were fabricated under the use of high-quality materials und workmanship. The screwed joints are made of stainless steel and high-strength plastics and therefore guarantee lifelong reliability.



All of the high-strength plastic-parts are elegantly gray, color-matching the pole. The high standards in fabrication and materials make this umbrella perfectly suitable for any kind of professional use, for example gastronomy.



The built-in stretching-help with its guiding-rail and handle provides very ease opening and closing and guarantees even more stability!



Concrete Base with rubber border 90 kg

- indestructible concrete base with rubber border: the base itself doesn't get damaged when rolling the base
- rubber border protects patio tiles
- high quality steel tubes with detachable adapters and setting screws
- centering unit
- drain through the the stand tube
- 2 sinkable carrying handles
- packed in cardboard carton

Article No. 2861-373 / price/unit: € 272,00



Protection Cover Ø 350 cm

- white polyester cover
- with wand, cord and zipper

Article# 62993 / price/unit: € 104,00



Protection Cover Airtex 350 cm x 350 cm

- Airtex cover
- with wand, cord and zipper

Article# 62987 / price/unit: € 172,00



Heater for ILOMA side post pole umbrellas and large scale umbrellas

- Helen-Heater with 1400 Watts power (weatherproof DIN IP44) incl. mount for the umbrella struds
- 30% less energy needed than other heaters
- Immediate Heating - The Bistol-Helen-Heater uses a special technique that provides the heat to the person under the umbrella, not the air around. This way the heat stays even when it is windy.
- scale: 490mm x 150mm x 145mm, weight 2,5 kg.

Article# 9100-17 / price/unit: from € 354,00



Umbrella lightning

- Quad-Spot with energy-saving lamps
- No transformer required
- Spotlights can be adjusted individually

Article# 9105008 / price / unit: € 354,10



Rain gutter


- easy assembly with eyelets and ribbons
- lead with stitched in aluminium rods

Article# 99998 / price/meter: € 126,41€

- Weather-fast, waterproof, coated polyester fabric, ½ oz / sq. Foot
- Light-fastness 5-6
- Removable canopy, with valances
- Hemmed, waterproof seams
- Color matching hem band
- Aluminum frame with ILOMA Opening/Closing Aid
- 2 piece pole, without tilt
- Safety lock
- Frame color:** white, powder coated. Other colors available upon request and surcharge.

Canopies for the Handy-Lift Umbrella are available in these colors:

polyester fabrics and colors



Grammage: 160 g/m² (DIN 53854)
Light-fastness: 5 - 6 (DIN 54004)
Weather-fast coted Polyester-fabric

» Other colors available upon request and surcharge.

Hi quality Airtex-canopies and colors



Fabric: 100% EPS
Coating: one-sided Acrylat
Grammage: 190 g/m² (DIN 53854)
Light-fastness: 6 - 8 (DIN 54004)
Weather-fastness: 6 - 8 (DIN 54071)
Dirt-abrasive through Teflon-coating

Surcharge for Airtex ® coatings only 114,00 €

ILOMA HANDY-LIFT UMBRELLA

Model	Pole	Order #	Price
Ø 350 cm / 8 ribs (11'feet, 6" inches)	50 mm (2" inches) diameter	61545	549,16 €
300 x 300 cm / 8 ribs (9'feet, 10" inches square)	50 mm (2" inches) diameter	61576/0	625,80 €
350 x 350 cm / 8 ribs (11'feet, 6" inches square)	50 mm (2" inches) diameter	61549	1093,05 €
Silver with valances			
350 x 350 cm / 8 ribs (11'feet, 6" inches square)	50 mm (2" inches) diameter	61550	943,94 €
Silver with valances			

All Prices inklusive 19% VAT, plus carrying charge

Terms of Payments and Fulfillment We will notify you about shipping charges prior to shipment. Special charges for heavy products, like concrete umbrella bases, may apply. We confirm these, with our order confirmation. Order Confirmation Following receipt of your order, you will receive our order confirmation by e-mail. Order Fulfillment It is our aim to fulfill your order the quickest way possible. Under normal conditions we need 6 to 10 working days. In case of an unforeseen delay, we will contact you by e-mail immediately. Return Policy Purchased products may be returned to us, unused, and in its original packing, within 14 days of purchase. Shipping charges for returned goods are at the expense of the buyer. We will not accept collect returns. We reimburse returns by check or money order via return mail. Please address returns to: ILOMA GmbH, Kiebitzheide 47 / 49084 Osnabrueck Germany. Shipping Damages All our products undergo a rigorous quality inspection, and are packed by experienced personnel. Should you receive any of our products damaged or incomplete, please initiate a claim in the presence of the delivery agent. Ownership Right Until fully paid, ownership of goods remains with ILOMA GmbH. Terms of Payment Invoice, full amount payable within 14 days. Prepayment by Check or Money Order, 3% Discount.