



ILOMA large-scale patio umbrellas

With a span up to 5 m (16' feet, 4" inches) ILOMA large-scale umbrellas will outshine everything. For more security, stability and wind circulation ILOMA Pulley System umbrellas are built with elevated wind vents. The coated polyester fabric (nonpolluting without PVC) is extreme resistant against wear & tear, water, mildew, and especially fading.

Choosing only the best quality material and using ingenious technologies ILOMA large scale patio umbrellas are usable till wind force 7! We also provide round and rectangle large scale patio umbrellas with a span larger than 5 m (16' feet, 4" inches), on demand even with the advanced ILOMA electronic remote controlled opening-aid.



ILOMA large scale patio umbrellas are robust: The patio umbrellas head is made of aluminium molding and precisely screwed together with pole and struts. Neither wind and weather nor even frequently opening and closing can harm ILOMA large scale patio umbrellas. Using best quality material, ILOMA large scale patio umbrellas are perfectly suitable for hotel, gastronomy and advertising usage as well as for pretentious private usage. All joints and connections are screwed together which allows easy change of replacement parts on ILOMA large scale patio umbrellas.



The stout aluminum pole sustains highest debits and resists mechanical stress e.g. using the large scale patio umbrella within hotels, gastronomie, promotion and advertising. For long lasting reliability, each element is powder coated. Struts, joints and the aluminium pole result in an optically successful and technical sophisticated high quality construction.



Large Scale Patio Umbrella Measurements:

Ø 5,00 m (16'feet, 5"inch diameter)	Ø 6,00 m (19'feet, 8"inch diameter)	4,50 x 4,50 m (14'feet, 9"inch square)	5,00 x 5,00 m (16'feet, 5"inch square)
--	--	---	---

Closed mode / pole length approx.	4,20 m (13'feet, 9"inch)	4,20 m (13'feet, 9"inch)	4,20 m (13'feet, 9"inch)	4,45 m (14'feet, 7"inch)
Opened mode / pole length approx.	3,30 m (10'feet, 10"inch)	3,10 m (10'feet, 2"inch)	3,10 m (10'feet, 2"inch)	3,35 m (10'feet, 12"inch)
Walk-through clearance w/o valance	2,40 m (7'feet, 10"inch)	2,30 m (7'feet, 7"inch)	2,30 m (7'feet, 7"inch)	2,55 m (8'feet, 4"inch)
Walk-through clearance with valance	2,15 m (7'feet, 1"inch)	2,05 m (6'feet, 9"inch)	2,05 m (6'feet, 9"inch)	2,30 m (7'feet, 7"inch)

ILOMA large-scale patio umbrellas



The crank arm is integrated into the pole. The large scale patio umbrella also has a locking device for safety reasons within hotel, gastronomy and advertising usage.

For safety reasons within hotel, gastronomy and advertising use the crank arm is removable. The large scale patio umbrella can be opened with only ten revolutions with hardly any strain. The shell and all add-on components are made of high quality aluminium molding.







Canopies can be simply removed: Spring elements are built into the struts end which guarantee a taut spanning of the large scale patio umbrellas canopy.

With a span up to 5 m (16' feet, 4" inches) ILOMA large-scale umbrellas will outshine everything. For more security, stability and wind circulation ILOMA Pulley System umbrellas are built with elevated wind vents. The coated polyester fabric (nonpolluting without PVC) is extreme resistant against wear & tear, water, mildew, and especially fading. Choosing only the best quality material and using ingenious technology ILOMA large scale patio umbrellas are usable till wind force 7!

- Easy removable high-quality canopies
- Weather-fast, waterproof, coated Airtex™ polyester fabric, ½ oz / sq. foot with elevated wind vent for all sizes
- Light-fastness 6 - 8 (DIN 54004)
- Aluminium and stainless steel frame



Canopies for the large-scale patio umbrellas are available in these colors:

	Nature 9823		Blue 9796	Fabric:	100% EPS
	Yellow 9526		Lagune 9793	Coating:	onesided Acrylat
	Light red 9675		Moos-green 9710	Grammage:	190 g/m ² (DIN 53854)
				Light-fastness:	6 - 8 (DIN 54004)
				Weather-fastness:	6 - 8 (DIN 54071)

Model	Pole	Order #	Price
400 x 400 cm / 8p.	70 mm	7004	2.039,00 €
450 x 450 cm / 8p.	70 mm	7005	2.189,00 €
500 x 500 cm / 8p.	70 mm	7006	2.742,88 €
600 x 400 cm / 8p.	70 mm	7007	2.448,00 €
600 x 600 cm / 8p.	70 mm	7009	3.406,00 €
Ø 450 cm / 8p.	70 mm	7000	1.899,00 €
Ø 500 cm / 8p.	70 mm	7001	2.059,00 €
Ø 600 cm / 8p.	70 mm	7002	2.383,00 €
Ø 700 cm / 8p.			

All Prices inklusive 19% VAT, plus carrying charge

Terms of Payments and Fulfillment We will notify you about shipping charges prior to shipment. Special charges for heavy products, like concrete umbrella bases, may apply. We confirm these, with our order confirmation. Order Confirmation Following receipt of your order, you will receive our order confirmation by e-mail. Order Fulfillment It is our aim to fulfill your order the quickest way possible. Under normal conditions we need 6 to 10 working days. In case of an unforeseen delay, we will contact you by e-mail immediately. Return Policy Purchased products may be returned to us, unused, and in its original packing, within 14 days of purchase. Shipping charges for returned goods are at the expense of the buyer. We will not accept collect returns. We reimburse returns by check or money order via return mail. Please address returns to: ILOMA GmbH, Kiebitzheide 47 / 49084 Osnabrueck Germany. Shipping Damages All our products undergo a rigorous quality inspection, and are packed by experienced personnel. Should you receive any of our products damaged or incomplete, please initiate a claim in the presence of the delivery agent. Ownership Right Until fully paid, ownership of goods remains with ILOMA GmbH. Terms of Payment Invoice, full amount payable within 14 days. Prepayment by Check or Money Order, 3% Discount.



Secure stand and attachment for the ILOMA large-scale patio umbrellas

Erectionhelp for large-scale patio umbrellas:

- Buildup and disassembly by one person
- Down to earth assembly with leveling-elements
- Flange pipe fitting the umbrella attachable
- Pair of stainless steel doublepanels with joint
- Lockable version on request
- Attachment on existing concretebase
- Attachment on fundament

Price: € 344,00



Beside the new erectionhelp we provide stable and secure attachment on a suitable base-panel, a flange pipe or an earth-tube.

Patio Tile Base for large-scale patio umbrellas:

- Extrastrong hot-dip galvanised metalframe
- Suitable for pipes up to Ø 70 mm (2,76"inch diameter))
- Suitable for 8 common sidewalk-panels
- Weight: **25kg (55,12 lbs) w/o panels, with 8 panels 265 kg (584,2 lbs)**
- Suitable for the ILOMA large-scale patio umbrella

suitable for 40cm x 40cm (18 11/16" inch square)

Article #: 8100-F142 / **price : 388,00 €** (delivery w/o sidewalk-panels)

suitable for 50cm x 50cm (19 11/16 "inch square)

Article #: 8100-F142 / **price : 388,00 €** (delivery w/o sidewalk-panels)



Flange-pipe for large-scale patio umbrellas - special version

- Suitable for quadaratic umbrellas in series or with secure-closing-mechanism fitting pipes with
50- 70 mm (2"- 3"inch) diameter
- Centering-application
- Aluminium and stainless steel Fitting-pipe

Article # 8701 / **price: 289,00 €**



Basic panel for side post pole umbrella (without turntable)

- Recommended: The basic panel enables easy mounting of the umbrella on solid surface

Article# 69851/g / **price: € 85.00**



rotection Cover for large scale umbrellas

- with wand, cord and zipper for large scale umbrellas

Article# 62999 / **price: € 279,00**





Earth-pipe for large-scale patio umbrellas - base version

- Earth-pipe made of hot-dip galvanised steel with three stainless-steel clips and three adjustingscrews, fitting pipes with 50- 70 mm (2"- 3"inch) diameter
- Centering-application
- Aluminium fitting-pipe
- Suitable for **round large-scale patio umbrellas**

Article #: 8700 / Price : 234,45 €



Flange Tube for large scale umbrellas

- suitable for large scale umbrellas adjustingscrews, fitting pipes with 50- 70 mm (2"- 3"inch) diameter
- centering unit
- inner tube made of aluminium and high-grade steel

Article #: 8701 / Price : 89,00 €



Flange Tube for large scale umbrellas

- suitable for RECTANGLE umbrellas for tubes with 50-70 mm
- centering unit
- inner tube made of aluminium and high-grade steel

Article # 8701 / price: 289,00 €



Umbrella lightning

- Quad-Spot with GU10 energy saving spots
- No transformer required
- Spotlights can be adjusted individually

Article # 9105008 / price: 345,10 €



Rain Gutter

- easy assembly with eyelets and ribbons
- lead with stitched in aluminium rods

Article # 99998 / price/meter: 126,41 €



Cover Plate for Ground Tubes 70 mm

- hot-dip galvanized cover plate for permanent ground tube #8700

Article # 8700-001-312 / price : € 34.50