

ILOMA side post umbrella



ILOMA side post umbrella 13' feet, 1" inch

High-Tech umbrella with aluminum and stainless steel frame

A 4 m (13'feet, 1"inch) diameter canopy provides shade and shelter for large areas without problem. Ideal for large terraces, open decks, shopping malls, sidewalk and garden cafes or restaurants.

Above all, it's the high value details, which make the Side Arm Umbrella so outstanding.



The roof of the side post umbrella: A well thought-trough construction with extremely durable, ultra leight weight aluminium and resin parts.



The elevated vent permits excellent air circulation and provides maximum stability, even at a



The elevated vent permits excellent air circulation and provides maximum stability, even at a moderate gale.



Upon request, the umbrella may be provided with a security padlock to prevent it from



Suspense: Pulling the handle bar hoists the side arm and locks it automatically into the extended mode. A few turns on the crank open and stretch the canopy to its fullest.



Other precision details are aluminium made guard housings and cable guards for the stainless steel cables. They prevent the cables from sliding and twisting, hence providing a long lasting reliability.




Aluminium and stainless steel parts in make this umbrella a tough one.

Quick & Easy Assembly!

Ideal for hospitality, institutional and promotional industries.



Measurements:



- Weather-fast, waterproof , coated polyester fabric, ½ oz / sq. foot
- Light-fastness 5-6 (6 -8)
- Removable canopy with valances and hemmed, waterproof seams
- Color-matching seams
- Elevated wind vent for maximum air circulation
- Optional: 440 lbs. Umbrella base (consisting of 8 individual modules, with integrated stainless steel turntable)
- Frame color:** anodized aluminum silver



- 200 kg Base (440 lbs.), consisting of 8 individual: 25 kg (55 lbs.) each
- Measurement: 850 mm x 850 m (33 ½" x 33 ½" inches)

iloma | Zubehör



- Recommended:
The basic panel enables easy mounting of the umbrella on solid surface



- Turntable for side post pole umbrella and ground level installation, providing 360° degrees rotation



Heater

for ILOMA side post pole umbrellas and large scale umbrellas

- Helen-Heater with 1400 Watts power (weatherproof DIN IP44) incl. mount for the umbrella struds
- 30% less energy needed than other heaters
- Immediate Heating - The Bistol-Helen-Heater uses a special technique that provides the heat to the person under the umbrella, not the air around. This way the heat stays even when it is windy.
- scale: 490mm x 150mm x 145mm, weight 2,5 kg.



Side post umbrella lightning

- Quad-Spot with energy-saving lamps
- No transformer required
- Spotlights can be adjusted individually

Canopies for the side post umbrella are available in the following colors and fabrics::

High-quality airtex canopies and colors



Nature 9823



lagune 9793



yellow 9526



nickel grey 9801



light redt 9675



Blue 9796



Moosgreen 9710

fabric: 100% EPS
 coating: single sided Acrylat
 grammage: 190 g/m² (DIN 53854)
 light-fastness: 6 - 8 (DIN 54004)
 weatherproof: 6 - 8 (DIN 54071)
 soil-resisting through teflon

ILOMA side post umbrella

Model	Pole	Item No.	Price / item
Ø 400/8tlg.	40/80 mm	61681	2.169,00 €
Protection cover in canopy-color / polyester		62990	155,00 €
Protection cover in canopy color / airtex		62990	302,26 €
Concrete basse 8 pcs. 200 Kg with tourntable		69850	998,00 €
Concrete basse 8 pcs. 200 Kg without tourntable		69850-1	522,79 €
Tourntable for side post umbrella		69851a	519,00 €
Basic panel for side post umbrella (without tourntable)		69853	85,00 €
Heater for side post umbrella		69851/g	from 354,00 €
Side post umbrella Lighting		9105008	345,10 €
Anti theft device		69855	133,35 €

All prices inclusive 16% VAT plus proportionately freight charges

Terms of Payments and Fulfillment We will notify you about shipping charges prior to shipment. Special charges for heavy products, like concrete umbrella bases, may apply. We confirm these, with our order confirmation. Order Confirmation Following receipt of your order, you will receive our order confirmation by e-mail. Order Fulfillment It is our aim to fulfill your order the quickest way possible. Under normal conditions we need 6 to 10 working days. In case of an unforeseen delay, we will contact you by e-mail immediately. Return Policy Purchased products may be returned to us, unused, and in its original packing, within 14 days of purchase. Shipping charges for returned goods are at the expense of the buyer. We will not accept collect returns. We reimburse returns by check or money order via return mail. Please address returns to: ILOMA GmbH, Kiebitzheide 47 / 49084 Osnabrueck Germany. Shipping Damages All our products undergo a rigorous quality inspection, and are packed by experienced personnel. Should you receive any of our products damaged or incomplete, please initiate a claim in the presence of the delivery agent. Ownership Right Until fully paid, ownership of goods remains with ILOMA GmbH. Terms of Payment Invoice, full amount payable within 14 days. Prepayment by Check or Money Order, 3% Discount.