



## These umbrellas won't lift off - even with strong wind

With a span up to 430 cm (14'feet, 1"inch) ILOMA Pulley System umbrellas will outshine everything! For more security, stability and wind circulation ILOMA Pulley System umbrellas are build with elevated wind vents. The coated polyester fabric (nonpolluting without PVC) is extreme resistant against wear & tear, water, milden, and especially fading. Frame and ribs are made of aluminium.

The umbrella opens by pulling the rope (6mm / ¼" inch) downwards. To lock the umbrella into a desired position, press the rope into the cleat, attached to the lower part of the umbrella pole. Secure the rope crosswise around the hitch, attached to the pole just below the cleat. The rope runs over pulley wheels, integrated to the upper umbrella crown and can be exchanged easily.



The plastic parts guarantee an easy replacement of the bars. They are additionally screwed with the bars. The canopy is attached with built-in rings, on umbrellas bigger than 350 cm an additional velcro fastening is provided.



## The next generation of advertising umbrellas


The next generation of advertising umbrellas arrived: with a roof pitch of 23° not only the umbrellas volants but also the cutter are perfect for advertisement. These advertising umbrellas are available with odr without volant..

Due to the high walk-through clearance of more than 2,20m (7'feet, 3"inch) a print on the canopies cutter can be seen perfectly, even from a long distance.



### Canopies for the Pulley System Umbrella are available in these colors:

Polyester-cannopies and colors:



Grammage: 160 g/m<sup>2</sup> (DIN 53854)  
Light-fastness: 5 - 6 (DIN 54004)  
Weather-fast coated polyester-fabric

Other colors available upon request and surcharge.

- Weather-fast, waterproof, coated polyester fabric, ½ oz / sq. foot with elevated wind vent for all sizes
- Light-fastness 5-6
- Removable canopy
- Color matching hem bands
- Aluminium frame
- 1-piece pole without tilt



The ILOMA pulley system umbrella is available in square shape measuring 300 cm x 300 cm (9'feet, 10"inch, square) aswell.

## ILOMA pulley system umbrella

Model	Pole	Order #	Price
Ø 300 cm / 8ribs (9'feet, 10"inch)	50 mm	61551	399,00 €
Ø 350 cm / 8ribs (11'feet, 6"inch)	50 mm	61540	449,00 €
Ø 400 cm / 8ribs (13'feet, 1"inch)	50 mm	61521	515,00 €
Ø 430 cm / 8ribs (14'feet, 1"inch)	50 mm	61522	567,00 €
300 x 300 cm / 8ribs (9'feet, 10"inch, square)	50 mm	61553	507,00 €

### pulley system umbrella wit 23° roof pitch - perfect advertisement

Ø 350cm / 8 ribs (11'feet, 6"inch)	50 mm	61586	544,00 €
300 x 300 cm / 8 ribs (9'feet, 10"inch, square)	50 mm	61587	716,00 €

All Prices inklusive 19% VAT, plus carrying charge

**Terms of Payments and Fulfillment** We will notify you about shipping charges prior to shipment. Special charges for heavy products, like concrete umbrella bases, may apply. We confirm these, with our order confirmation. Order Confirmation Following receipt of your order, you will receive our order confirmation by e-mail. Order Fulfillment It is our aim to fulfill your order the quickest way possible. Under normal conditions we need 6 to 10 working days. In case of an unforeseen delay, we will contact you by e-mail immediately. Return Policy Purchased products may be returned to us, unused, and in its original packing, within 14 days of purchase. Shipping charges for returned goods are at the expense of the buyer. We will not accept collect returns. We reimburse returns by check or money order via return mail. Please address returns to: ILOMA GmbH, Kiebitzheide 47 / 49084 Osnabrueck Germany. Shipping Damages All our products undergo a rigorous quality inspection, and are packed by experienced personnel. Should you receive any of our products damaged or incomplete, please initiate a claim in the presence of the delivery agent. Ownership Right Until fully paid, ownership of goods remains with ILOMA GmbH. Terms of Payment Invoice, full amount payable within 14 days. Prepayment by Check or Money Order, 3% Discount.



### Concrete Base with rubber border 90 kg

- indestructible concrete base with rubber border: the base itself doesn't get damaged when rolling the base
- rubber border protects patio tiles
- high quality steel tubes with detachable adapters and setting screws
- centering unit
- drain through the the stand tube
- 2 sinkable carrying handles
- packed in cardboard carton

Article No. 2861-373 / **price/unit: € 272,00**



### Concrete Base with rubber border 60 kg

- indestructible concrete base with rubber border: the base itself doesn't get damaged when rolling the base
- rubber border protects patio tiles
- high quality steel tubes with detachable adapters and setting screws
- centering unit
- drain through the the stand tube
- 2 sinkable carrying handles
- packed in cardboard carton

Article No. 2861-373-200 / **price/unit: € 235,00**



### Protection Cover Ø 350 cm

- white polyester cover
- with wand, cord and zipper

Article# 62993 / **price/unit: € 104,00**



### Heater for ILOMA side post umbrellas and large scale umbrellas

- Helen-Heater with 1400 Watts power (weatherproof DIN IP44) incl. mount for the umbrella struds
- 30% less energy needed than other heaters
- Immediat Heating - The Bistol-Helen-Heater uses a special technique that provides the heat to the person under the umbrella, not the air around. This way the heat stays even when it is windy.
- scale: 490mm x 150mm x 145mm, weight 2,5 kg.

Article# 9100-17 / **price/unit: from € 354,00**



### Umbrella lightning

- Quad-Spot with energy-saving lamps
- No transformer required
- Spotlights can be adjusted individually

Article# 9105008 / **price / unit: € 354,10**



### Rain gutter

- easy assembly with eyelets and ribbons
- lead with stitched in aluminium rods

Article# 99998 / **price/meter: € 126,41€**



### Permanent Ground Tube

- permanent ground tube hot-dip galvanized with three high-grade steel brackets
- adjusting screws for usage with tubes from 50 - 70 mm
- high quality steel tubes with detachable adapters and setting screws
- centering unit
- inner aluminium tube

Article No. 69710 / price/unit: € 65,00



### Patio Tile Base

- extra strong, hot-dip galvanized metal frame
- suitable for tubes up to Ø 50 mm
- for use with 8 regular patio tiles 50 x 50 cm
- centering unit
- weight: 25kg without patio tiles (delivery without tiles)

Article No. 69825 / price/unit: € 60,00