

ILOMA Remote controlled side arm umbrella (cantilever-umbrella)

 **iloma**
the umbrella professionals

made in Germany



Remote controlled side arm umbrella (Cantilever-umbrella)

A 4 m (13'feet, 1"inch) diameter canopy provides shade and shelter for large areas without problem. Ideal for large terraces, open decks, shopping malls, sidewalk and garden cafes or restaurants. Highlights: aluminum and stainless steel frame.



- Weather-fast, waterproof , coated polyester fabric, ½ oz / sq. Foot
- Light-fastness 5-6 (6-8)
- Grammage apx. 160 - 190 g/qm
- Removable canopy with valances and hemmed, waterproof seams
- Elevated wind vent for maximum air circulation
- Optional: 440 lbs. Umbrella base
(consisting of 8 individual modules, with integrated stainless steel turntable)
- Frame color: anodized aluminum silver



The opening and closing motions of this exceptional umbrella are caused by four 24V electric motors which are elegantly attached to the umbrella's arm.

The powerful electric motors open the umbrella with its diameter of four meters in less than 30 seconds. All movable parts are equipped with safety sensors which stop the movement on any obstruction.

The umbrella's tilt can also be adjusted with the one-button remote control. With its diameter of four meters (13'feet, 1"inch) a really impressive spectacle.



The umbrella is controlled with a single-channel remote control with up to 25m (82'feet) range.

The power supply unit 220- 24 VAC is placed in a separate case which should be mounted in a safe place, e.g. close to the wall). The low voltage connecting cable power supply unit - umbrella can be optional extended, the umbrella is delivered with a 10m (32' feet) cable by default.

The high-quality mechanical system holds the large umbrella in any desired position - even when the wind is strong. Aluminium and stainless steel parts guarantee long lasting reliability.



iloma

Zubehör



- 200 kg Base (440 lbs.), consisting of 8 individual modules, 25 kg (55 lbs.) each
- Measurement: 850 mm x 850 mm (33 1/2" x 33 1/2" inches)



- Recommended:
The basic panel enables easy mounting of the umbrella on solid surface



Heater

for ILOMA side post pole umbrellas and large scale umbrellas

- Helen-Heater with 1400 Watts power (weatherproof DIN IP44) incl. mount for the umbrella struts
- 30% less energy needed than other heaters
- Immediate Heating - The Bistol-Helen-Heater uses a special technique that provides the heat to the person under the umbrella, not the air around. This way the heat stays even when it is windy.
- scale: 490mm x 150mm x 145mm, weight 2,5 kg.



Side post umbrella lightning

- Quad-Spot with energy-saving lamps
- No transformer required
- Spotlights can be adjusted individually



Replacement remote-control

- appx. 25mtrs. of range outside



- Turntable for side post pole umbrella and ground level installation, providing 360° degrees rotation



Canopies for the Side-Arm Umbrella with remote control are available in these colors:

Hi quality Airtex-canopies and colors

	Nature 9823		Nickel grey 9801
	Yellow 9526		Lagune blue 9793
	Light red 9675		Moss green 9710
	Blue 9796		

Fabric: 100% EPS
 Coating: one-sided Acrylat
 Grammage: 190 g/m² (DIN 53854)
 Light-fastness: 6 - 8 (DIN 54004)
 Weather-fastness: 6 - 8 (DIN 54071)
 Dirt abrasive teflon coating

ILOMA Remote controlled side arm umbrella (cantilever-umbrella)

Model	Pole	Order #	Price
Ø 400/8tlg., round, 8 ribs (13'feet, 1"inch)	40/80 mm (1 9/16" / 3 1/8" inches)	L1-F	3.199.00 €
Replacement remote-control with batteries		sender	69,00 €
Protection cover in canopy-color / polyester		62990	155,00 €
Protection cover in canopy color / airtex		62990	302,26 €
Concrete base 8 pcs. 200 Kg with tourtable		69850	998,00 €
Concrete base 8 pcs. 200 Kg without tourtable		69850-1	522,79 €
Tourtable for side post umbrella		69851a	498,00 €
Basic panel for side post umbrella (without tourtable)		69853	85,00 €
Heater for side post umbrella		69851/g	from 354,00 €
Side post umbrella Lighting		9105008	345,10 €
extension cable with connector 82ft. (25m) for 24V		vkab	43,00 €

All Prices inklusive 19% VAT, plus carrying charge

Terms of Payments and Fulfillment We will notify you about shipping charges prior to shipment. Special charges for heavy products, like concrete umbrella bases, may apply. We confirm these, with our order confirmation. Order Confirmation Following receipt of your order, you will receive our order confirmation by e-mail. Order Fulfillment It is our aim to fulfill your order the quickest way possible. Under normal conditions we need 6 to 10 working days. In case of an unforeseen delay, we will contact you by e-mail immediately. Return Policy Purchased products may be returned to us, unused, and in its original packing, within 14 days of purchase. Shipping charges for returned goods are at the expense of the buyer. We will not accept collect returns. We reimburse returns by check or money order via return mail. Please address returns to: ILOMA GmbH, Kiebitzheide 47 / 49084 Osnabrueck Germany. Shipping Damages All our products undergo a rigorous quality inspection, and are packed by experienced personnel. Should you receive any of our products damaged or incomplete, please initiate a claim in the presence of the delivery agent. Ownership Right Until fully paid, ownership of goods remains with ILOMA GmbH. Terms of Payment Invoice, full amount payable within 14 days. Prepayment by Check or Money Order, 3% Discount.