

ILOMA side post umbrella L-series



made in germany



ILOMA side post umbrella L-series

the allround side post umbrella

The perfect all-round side post umbrella: Not only the good selling price but the numerous options using and mounting the L-series side post umbrellas in gardens, terraces or larger balkonys makes them the ideal side post umbrellas for private and commercial use. Measurements of 9'feet 10"inch (300 cm) or 11'feet 10" inch (350cm) diameter and high quality materials such as aluminium, stainless steel and high-performance plastic parts make the L - side post umbrella a reliable, long lasting and good looking companion.

- Weather-fast, waterproof, coated polyester fabric, apx. ½ oz / sq. foot
- Light-fastness 6-8 (DIN 54004)
- Removable canopy
- hemmed, waterproof seams
- color-matching valances
- Elevated wind vent for maximum air circulation
Save standing position up to windforce 5
- Optional: 440 lbs. Umbrella base (consisting of 8 individual modules, with integrated stainless steel turntable)
- Frame color:** anodized aluminum silver
- Quick & Easy Assembly!**
Ideal for hospitality, institutional and promotional industries.



A side post umbrella with save stand

The aluminium foot is an essential part of the L-series side post umbrella. The base plate made of stainless steel (12" 19/32 inch x 12" 19/32 inch x 13/32" inch = 32 cm x 32 cm x 1 cm) can be attached to a solid concrete base which should not be smaller than 23" 5/8 inch square x 15" 3/4 inch depth (60cm x 60cm x 40cm). A stainless steel plate for extra stability is optional available (3" 9/32 inch square x 13/32" inch = 100 cm x 100 cm x 1cm).



high quality materials such as aluminium, stainless steel and high-performance plastic parts make the L - side post umbrella a reliable, long lasting and good looking companion.

The electrical drives of the remote controlled side post umbrella are hidden in aluminium cases. The remote controlled side post umbrella can be also used mechanically.

In closed mode, the side post umbrella does not take to much room. In opened mode the side post umbrella opens itself sideways, so the shadowed area can be used completely.



Side post umbrella L2	350cm x 350 cm
Height in closed mode	3,80m
Height in open mode	3,40m
Clearance w/o valance (adjustable)	2,00m - 2,20m
Clearance w valance (adjustable)	2,00m - 2,20m
Arm	80mm x 80mm
Pole	80mm x 80mm
Rods	40mm x 20mm
Closed clearance w/o valance	appx. 85 cm
Weight	appx. 65 kg

Side post umbrella L3	400cm x 400cm
Height in closed mode	3,80m
Height in open mode	3,40m
Clearance w/o valance (adjustable)	2,00m - 2,20m
Clearance w valance (adjustable)	2,00m - 2,20m
Arm	80mm x 80mm
Pole	80mm x 80mm
Rods	40mm x 20mm
Closed clearance w/o valance	appx. 75 cm
Weight	appx. 65 kg






iloma
ZUBEHÖR



- Turntable for side post umbrella and ground level installation
- 360° degrees rotating, integrated stainless steel turntable



patio tile base for the iloma L-series side post umbrella

- extra strong, hot-dip galvanized metal frame
- suitable for tubes up to Ø 70 mm
- for use with 8 regular patio tiles 50 x 50 cm
- weight: 25kg without patio tiles, with 8 patio tiles 265 kg



Basic panel for side post pole umbrella (without turntable)

- Recommended: The basic panel enables easy mounting of the umbrella on solid surface



Heater for ILOMA side post pole umbrellas and large scale umbrellas

- Helen-Heater with 1400 Watts power (weatherproof DIN IP44) incl. mount for the umbrella struds
- 30% less energy needed than other heaters
- Immediate Heating - The Bistol-Helen-Heater uses a special technique that provides the heat to the person under the umbrella, not the air around. This way the heat stays even when it is windy.
- scale: 490mm x 150mm x 145mm, weight 2,5 kg.



Side post umbrella lighting

- Quad-Spot with energy-saving lamps
- No transformer required
- Spotlights can be adjusted individually



Rain gutter


- easy assembly with eyelets and ribbons
- lead with stitched in aluminium rods

Airtex protection cover in canopie color for the L-series side post umbrella

- complex and especial solid protection cover with wand, zipper and tightening cord

Canopies for the ILOMA side post umbrella L-series are available in the following colors:

High-quality airtex canopies and colors

	light blue 9701		nature 9823		orange 9527
	blue 9796		yellow 9526		black 9853
	lagune 9793		light red 9675		terracotta 9878
			mossgreen 9710		nickel grey 9801

fabric: 100% EPS
 coating: single sided Acrylat
 grammage: 190 g/m² (DIN 53854)
 light-fastness: 6 - 8 (DIN 54004)
 weatherproof: 6 - 8 (DIN 54071)
 soil-resisting through teflon

ILOMA side post umbrella L-series

Model	Pole	Item No.	Price / item
L1 Ø 400 cm / 8 ribs w/o valances	80 x 80 mm	AS-L1	2.172,00 €
L2 Ø 450 cm / 8 ribs w/o valances	80 x 80 mm	AS-L2r	2.842,34 €
L2 350 cm x 350 cm / 8 ribs w/o valances	80 x 80 mm	AS-L2q1	2.462,24 €
L2 400 cm x 400 cm / 8 ribs w/o valances	80 x 80 mm	AS-L2q2	2.842,34 €
surcharge for valances			227,00 €
surcharge for electrical drive with remote control			1.033,00 €

Zubehör

Protection cover airtex	62979A	289,00 €
Protection cover polyester	62979	238,00 €
Turntable for side post umbrellas	69851a	519,00 €
basic plate for side post umbrellas (w/o turntable)	69851/g	85,00 €
Heater 1400 Watt	9100-17	from 354,00 €
Lighting	9105008	345,10 €
Rain gutter (per meter)	99998	126,41 €
Connection cable 5m	9100043	29,00 €
Anti theft device	69855	133,35 €

All prices inclusive 19% VAT plus proportionately freight charges

Terms of Payments and Fulfillment We will notify you about shipping charges prior to shipment. Special charges for heavy products, like concrete umbrella bases, may apply. We confirm these, with our order confirmation. Order Confirmation Following receipt of your order, you will receive our order confirmation by e-mail. Order Fulfillment It is our aim to fulfill your order the quickest way possible. Under normal conditions we need 6 to 10 working days. In case of an unforeseen delay, we will contact you by e-mail immediately. Return Policy Purchased products may be returned to us, unused, and in its original packing, within 14 days of purchase. Shipping charges for returned goods are at the expense of the buyer. We will not accept collect returns. We reimburse returns by check or money order via return mail. Please address returns to: ILOMA GmbH, Kiebitzheide 47 / 49084 Osnabrueck Germany. Shipping Damages All our products undergo a rigorous quality inspection, and are packed by experienced personnel. Should you receive any of our products damaged or incomplete, please initiate a claim in the presence of the delivery agent. Ownership Right Until fully paid, ownership of goods remains with ILOMA GmbH. Terms of Payment Invoice, full amount payable within 14 days. Prepayment by Check or Money Order, 3% Discount.