

ILOMA side post umbrella M-series

The perfect all-round side post umbrella:

Not only the good selling price but the numerous options using and mounting the M-series side post umbrellas in gardens, terraces or larger balkonys makes them the ideal side post umbrellas for private and commercial use. Measurements of 9'feet 10"inch (300 cm) or 11'feet 10" inch (350cm) diameter and high quality materials such as aluminium, stainless steel and high-performance plastic parts make the M - side post umbrella a reliable, long lasting and good looking companion.

- Weather-fast, waterproof, coated polyester fabric, apx. ½ oz / sq. foot
- Light-fastness 6-8 (DIN 54004)
- Removable canopies
- hemmed, waterproof seams
- color-matching valances
- Elevated wind vent for maximum air circulation
Save standing position up to windforce 5
- Optional: 440 lbs. Umbrella base (consisting of 8 individual modules, with integrated stainless steel turntable)
- Frame color:** anodized aluminum silver
- Quick & Easy Assembly! Ideal for hospitality, institutional and promotional industries.**



A side post umbrella with save stand

The aluminium foot is an essential part of the M-series side post umbrella. The base plate made of stainless steel (12" 19/32 inch x 12" 19/32 inch x 13/32" inch = 32 cm x 32 cm x 1 cm) can be attached to a solid concrete base which should not be smaller than 23" 5/8 inch square x 15" 3/4 inch depth (60cm x 60cm x 40cm). A stainless steel plate for extra stability is optional available (3" 9/32 inch square x 13/32" inch = 100 cm x 100 cm x 1cm).



Suspense:

Opening and closing the side post umbrellas is mere child's play: Shifting the side post umbrellas sleigh at the pole lifts the umbrella up, then it can be opened with hardly any strain by using the sophisticated crank arm mechanics.

The sophisticated crank arm and sliding mechanics allows to open and close the large side post umbrella with hardly any effort.

For security reasons - especially within commercial use - the crank itself is removable.



This side post umbrella opens itself completely to one side - the arm of the side post umbrella is mounted alongside to the pole. The shadowed area under the side post umbrella can be used completely.

Quick & Easy Assembly!
Ideal for hospitality,
institutional and
promotional industries.




Scale:

Side post umbrella M1

Height closed mode	Ø 350 cm 3,20 m
Height open mode	3,00 m
Clearance w/o valances (adjustable)	2,00 - 2,20 m
Clearance w valances (adjustable)	2,00 - 2,20 m
Arm	40 x 40 mm
Pole	80 x 80 mm
Carrying-pole	40 x 40 mm
Rods	30 x 20 mm
Closed clearance w/o valances	ca. 1,35 m
Closed clearance w valances	ca. 1,10 m
Weight	ca. 40Kg

Side post umbrella M2

Height closed mode	300 x 300 cm 3,20 m
Height open mode	3,00 m
Clearance w/o valances (adjustable)	2,00 - 2,20 m
Clearance w valances (adjustable)	2,00 - 2,20 m
Arm	40 x 40 mm
Pole	80 x 80 mm
Carrying-pole	40 x 40 mm
Rods	30 x 20 mm
Closed clearance w/o valances	ca. 97 cm
Closed clearance w valances	ca. 72 cm
Weight	ca. 40Kg



Iloma "M" side post umbrellas are very flexible: all you need is to set up a solid base and the main pole and you have the option of mounting up to four side post umbrellas to one pole.

The new Iloma M-series side post umbrella can be also mounted directly to walls and / or to houses edges. The numerous variations of mounting the M-series side post umbrella makes it ideal for use in street cafes etc.

Rain gutters can be easily added to the square variants of the M-series side post umbrella, so the area under the side post umbrella is completely protected against sun and rain.



- 120 kg Ständer mit 2 verzinkten Handgriffen, vier Bodenschutz-Stopfen und Regenwasserabfluss.



Basic panel for side post pole umbrella (without turntable)

- Recommended: The basic panel enables easy mounting of the umbrella on solid surface



- Turntable for side post umbrella and ground level installation
- 360° degrees rotating, integrated stainless steel turntable



Rain gutter

- easy assembly with eyelets and ribbons
- lead with stitched in aluminium rods



Heater for ILOMA side post pole umbrellas and large scale umbrellas

- Helen-Heater with 1400 Watts power (weatherproof DIN IP44) incl. mount for the umbrella struds
- 30% less energy needed than other heaters
- Immediate Heating - The Bistol-Helen-Heater uses a special technique that provides the heat to the person under the umbrella, not the air around. This way the heat stays even when it is windy.
- scale: 490mm x 150mm x 145mm, weight 2,5 kg.

Side post umbrella lightning

- Quad-Spot with energy-saving lamps
- No transformer required
- Spotlights can be adjusted individually

Canopies for the ILOMA side post umbrella M-series are available in the following colors:

High-quality airtex canopies and colors

	nature 9823		orange 9527		blue 9796
	yellow 9526		black 9853		lagune 9793
	light red 9675		terracotta 9878		light blue 9701
	nickel grey 9801		mossgreen 9710		

fabric: 100% EPS
 coating: single sided Acrylat
 grammage: 190 g/m² (DIN 53854)
 light-fastness: 6 - 8 (DIN 54004)
 weatherproof: 6 - 8 (DIN 54071)
 soil-resisting through teflon

ILOMA side post umbrellas M-series

Modell	Mast	Best.-Nr.	Einzelpreis
M1 Ø 350 cm / 8 ribs	80 x 80 mm	AS-M1	1.557,00 €
M2 300 x 300 cm / 8 ribs	80 x 80 mm	AS-M2	1.681,00 €
M3 250cm x 250 cm / 8 ribs two umbrellas three umbrellas four umbrellas	80 x 80 mm	AS-M3	1.559,00 €
		AS-M3/2	2.469,00 €
		AS-M3/3	3.378,00 €
		AS-M3/4	4.289,00 €
M4 300cm x 300 cm / 8tlg. two umbrellas three umbrellas four umbrellas	80 x 80 mm	AS-M4	1.681,00 €
		AS-M4/2	2.645,00 €
		AS-M4/3	4.497,48 €
		AS-M4/4	4.576,00 €
M5 (for wallmount) 300cm x 300 cm / 8 ribs 250cm x 250 cm / 8 ribs Ø 350cm / 8 ribs	80 x 80 mm	AS-M5Q1	1.619,00 €
		AS-M5Q2	1.743,00 €
		AS-M5R	1.619,00 €

Accessories:

Protection cover polyester	62980	199,00 €
Protection cover airtex	62980A	276,00 €
Concrete base 120 kg	12055	235,00 €
Torunable for side post umbrellas	69851a	519,00 €
Basic plate for side post umbrellas (w/o turntable)	69851/g	85,00 €
Heater 1400W	9100-17	from 354,00 €
Lighting	9105008	345,10 €
Connection cable 5m	9100043	29,00 €
Rain gutter (per meter)	99998	126,41 €

All prices inclusive 19% VAT plus proportionately freight charges

Terms of Payments and Fulfillment We will notify you about shipping charges prior to shipment. Special charges for heavy products, like concrete umbrella bases, may apply. We confirm these, with our order confirmation. Order Confirmation Following receipt of your order, you will receive our order confirmation by e-mail. Order Fulfillment It is our aim to fulfill your order the quickest way possible. Under normal conditions we need 6 to 10 working days. In case of an unforeseen delay, we will contact you by e-mail immediately. Return Policy Purchased products may be returned to us, unused, and in its original packing, within 14 days of purchase. Shipping charges for returned goods are at the expense of the buyer. We will not accept collect returns. We reimburse returns by check or money order via return mail. Please address returns to: ILOMA GmbH, Kiebitzheide 47 / 49084 Osnabrueck Germany. Shipping Damages All our products undergo a rigorous quality inspection, and are packed by experienced personnel. Should you receive any of our products damaged or incomplete, please initiate a claim in the presence of the delivery agent. Ownership Right Until fully paid, ownership of goods remains with ILOMA GmbH. Terms of Payment Invoice, full amount payable within 14 days. Prepayment by Check or Money Order, 3% Discount.